



Artículos

(*) Los Autores señalados en las citas han sido alumnos de nuestro máster

2024

- Amaro-da Cruz A (*), Cabeo M, Durán-Viseras A, Sampedro I, Llamas I. Interference of AHL signal production in the phytopathogen *Pantoea agglomerans* as a sustainable biological strategy to reduce its virulence. *Microbiol Res* 2024; 285: 127781
- Arias-Moliz MT, Pérez-Carrasco V, Uroz-Torres D, Santana Ramos JD (*), García-Salcedo JA, Soriano M. Identification of keystone taxa in root canals and periapical lesions of post-treatment endodontic infections: Next generation microbiome research. *Int Endod J.* 2024; 57(7): 933-942
- Usta SN, Solana C, Ruiz-Linares M, Baca P, Ferrer-Luque CM, Cabeo M (*), Arias-Moliz MT. Effectiveness of conservative instrumentation in root canal disinfection. *Clin Oral Investig.* 2023 ; 27(6): 3181-3188
- Roca A, Cabeo M, Enguindanos C (*), Martínez-Checa F, Sampedro I, Llamas I. Potential of the quorum-quenching and plant-growth promoting halotolerant *Bacillus toyonensis* AA1EC1 as biocontrol agent. *Microb Biotechnol* 2024; 17: e14420
- Sorlózano-Puerto A, Cerezo-Collado L (*), Roca-Lagrilliere E (*), Baños-Arjona A, Gutiérrez-Fernández J. Activity of propyl-propane-thiosulfinate and propyl-propane-thiosulfonate against carbapenem-resistant Gram-negative bacteria. *APMIS* 2024; 132 (8): 581-593
- Ruiz-Fresneda, M A, Morales-Hidalgo, M (*), Povedano-Priego, C, Jroundi, F, Hidalgo-Iruela, J, Cano-Cano, M, Pérez-Muelas, E, Merroun, M L, Martín-Sánchez, I. Unlocking the key role of bentonite fungal isolates in tellurium and selenium bioremediation and biorecovery: Implications in the safety of radioactive waste disposal. *Science of The Total Environment* 2024; 912: 169242

2023

- Sánchez P (*), Castro-Cegrí A, Sierra S, Garrido D, Llamas I, Sampedro I, Palma F. The synergy of halotolerant PGPB mauran mitigates salt stress in tomato (*Solanum lycopersicum*) via osmoprotectants accumulation. *Physiologia Plantarum* 2023; 175: e14111
- Angeles-de Paz G, León-Morcillo R, Guzmán S (*), Robledo-Mahón T, Pozo C, Calvo C, Aranda E. Pharmaceutical active compounds in sewage sludge: Degradation improvement and conversion into an organic amendment by bioaugmentation-composting processes. *Waste Manag* 2023; 168: 167-178
- Usta SN, Solana C, Ruiz-Linares M, Baca P, Ferrer-Luque CM, Cabeo M (*), Arias-Moliz MT. Effectiveness of conservative instrumentation in root canal disinfection. *Clin Oral Investig* 2023; 27 (6): 3181-3188
- Xu W, Cerna-Vargas JP, Tajuelo A (*), Lozano-Montoya A (*), Kivoloka M, Krink N, Monteagudo-Cascales E, Matilla MA, Krell T, Sourjik V. Systematic mapping of chemoreceptor specificities for *Pseudomonas aeruginosa*. *mBio* 2023; 14 (5): e0209923
- Rabelo-Ruiz M, Peralta-Sánchez JM, Martín-Platero AM, Ruiz AJ (*), Agraso MDM, Bermúdez L, Ariza JJ, Baños A, Valdivia E, Martínez-Bueno M. Allium-derived compound propyl propane thiosulfonate (PTSO) reduces *Vibrio* populations and increases body weight of european seabass (*Dicentrarchus labrax*) juveniles. *Antibiotics (Basel)* 2023; 12 (1): 134

2022

- Siles JA, García-Romera I, Cajthaml T, Belloc J (*), Silva-Castro G, Szaková J, Tlustos P, Garcia-Sanchez M. Application of dry olive residue-based biochar in combination with arbuscular mycorrhizal fungi enhances the microbial status of metal contaminated soils. *Sci Rep* 2022; 12 (1): 12690
- López-Moreno A (*), Ruiz-Moreno Á (*), Pardo-Cacho J, Cerk K, Torres-Sánchez A, Ortiz P, Úbeda M, Aguilera M. Culturing and molecular approaches for identifying microbiota taxa impacting children's obesogenic phenotypes related to xenobiotic dietary exposure. *Nutrients* 2022; 14 (2): 241
- Torres-Sánchez A (*), Ruiz-Rodríguez A, Ortiz P, Moreno MA, Ampatzoglou A, Gruszecka-Kosowska A, Monteoliva-Sánchez M, Aguilera M. Exploring next generation probiotics for metabolic and microbiota dysbiosis linked to xenobiotic exposure: holistic approach. *Int J Mol Sci* 2022; 23 (21): 12917
-

Reina JC, Pérez P (*), Llamas, I. Quorum quenching strains isolated from the microbiota of sea anemones and holothurians attenuate *Vibrio corallilyticus* virulence factors and reduce mortality in *Artemia salina*. *Microorganisms* 2022; 10: 631

- Matilla MA, Velando F, Tajuelo A (*), Martín-Mora D, Xu W, Sourjik V, Gavira J, Krell, T. Chemotaxis of the human pathogen *Pseudomonas aeruginosa* to the neurotransmitter acetylcholine. *mBio* 2022; 13 (2): e0345821

2021

- López-Moreno A (*), Torres-Sánchez A (*), Acuña A, Suárez A, Aguilera M. Representative *Bacillus* sp. AM1 from gut microbiota harbor versatile molecular pathways for bisphenol a biodegradation. *Int J Mol Sci* 2021; 22 (9): 4952
- López-Moreno A (*), Acuña I, Torres-Sánchez A (*), Ruiz-Moreno A (*), Cerk K, Rivas A, Suárez A, Monteoliva-Sánchez M, Aguilera M. Next generation probiotics for neutralizing obesogenic effects: Taxa culturing searching strategies. *Nutrients* 2021; 13 (5): 1617
- Cabrera J J, Jiménez-Leiva A, Tomás-Gallardo L, Parejo S, Casado S(*), Torres MJ, Bedmar EJ, Delgado MJ, Mesa S. Dissection of FixK2 protein-DNA interaction unveils new insights into *Bradyrhizobium diazoefficiens* lifestyles control. *Environ. Microbiol.* 2021; 23: 6194-6209.
- Torres-Sánchez A (*), Pardo-Cacho J, López-Moreno A (*), Ruiz-Moreno A (*), Cerk K, Aguilera M. Antimicrobial effects of potential probiotics of *Bacillus* spp. isolated from human microbiota: In vitro and in silico methods. *Microorganisms* 2021; 9 (8): 1615
- Molina L, Udaondo Z, Montero-Curiel M (*), Wittich RM, García-Puente A, Segura A. Clover root exudates favor *Novosphingobium* sp. HR1a establishment in the rhizosphere and promote phenanthrene rhizoremediation. *mSphere* 2021; 6 (4): e0041221

2020

- López-Moreno A (*), Suárez A, Avanzi C, Monteoliva-Sánchez M, Aguilera M. Probiotic strains and intervention total doses for modulating obesity-related microbiota dysbiosis: A systematic review and meta-analysis. *Nutrients* 2020; 12 (7): 1921
- Vega C (*), Rodríguez M, Llamas I, Béjar V, Sampedro I. Silencing of phytopathogen communication by the halotolerant PGPR *Staphylococcus equorum* strain EN21. *Microorganisms* 2020; 8 (1): 42

2019

- Fernández M, Rico-Jiménez M, Ortega Á, Daddaoua A, García García AI, Martín-Mora D, Torres NM, Tajuelo A (*), Matilla MA, Krell T. Determination of ligand profiles for *Pseudomonas aeruginosa* solute binding proteins. *Int J Mol Sci* 2019; 20 (20): 5156
- Barrientos-Moreno L, Molina-Henares MA, Pastor-García M (*), Ramos-González MI, Espinosa-Urgel M. Arginine biosynthesis modulates pyoverdine production and release in *Pseudomonas putida* as part of the adaptation mechanism to oxidative stress. *J Bacteriol* 2019; 201 (22): e00454-19
- Tena-Garitaonaindia M (*), Llamas I, Toral L, Sampedro I. Chemotaxis of halophilic bacterium *Halomonas anticariensis* FP35 towards the environmental pollutants phenol and naphthalene. *Sci Total Environ* 2019; 669: 631-636
- Ho-Plágaro T, Molinero-Rosales N, Fariña Flores D (*), Villena Díaz M (*), García-Garrido JM. Identification and expression analysis of GRAS transcription factor genes involved in the control of arbuscular mycorrhizal development in tomato. *Front Plant Sci* 2019; 10: 268

2018

- Castro DJ, Cerezo I (*), Sampedro I, Martínez-Checa F. *Roseovarius ramblicola* sp. nov., a moderately halophilic bacterium isolated from saline soil in Spain. *Int J Syst Evol Microbiol* 2018; 68 (6): 1851-1856
- Rodríguez M (*), Marín A (*), Torres M, Béjar V, Campos M, Sampedro I. Aphicidal activity of surfactants produced by *Bacillus atrophaeus* L193. *Front Microbiol* 2018; 9: 3114
- Toral L, Rodríguez M (*), Béjar V, Sampedro I. Antifungal activity of lipopeptides from *Bacillus XT1* CECT 8661 against *Botrytis cinerea*. *Front Microbiol* 2018; 9: 1315
- Castellano-Hinojosa A, Maza-Márquez P, Melero-Rubio Y (*), González-López J, Rodelas B. Linking nitrous oxide emissions to population dynamics of nitrifying and denitrifying prokaryotes in four full-scale wastewater treatment plants. *Chemosphere* 2018; 200: 57-66
-

Sorlozano-Puerto A, Albertuz-Crespo M (*), Lopez-Machado I, Ariza-Romero JJ, Baños-Arjona A, Exposito-Ruiz M, Gutierrez-Fernandez J. In Vitro Antibacterial Activity of Propyl-Propane-Thiosulfinate and Propyl-Propane-Thiosulfonate Derived from *Allium* spp. against Gram-Negative and Gram-Positive Multidrug-Resistant Bacteria Isolated from Human Samples. *Biomed Res Int* 2018; 2018: 7861207

2017

- Martirani-Von Abercron SM, Marín P, Solsona-Ferraz M (*), Castañeda-Cataña MA, Marqués S. Naphthalene biodegradation under oxygen-limiting conditions: community dynamics and the relevance of biofilm formation capacity. *Microb Biotechnol* 2017; 10 (6):1781-1796
- Montes N (*), Reina R, Ortiz T, Ocampo JA, García-Romera I, Aranda E. Interactions between phenolic compounds present in dry olive residues and the arbuscular mycorrhizal symbiosis. *Mycol Progress* 2017; 16 (6): 567-575
- Pacheco-Sánchez D, Molina-Fuentes A, Marín P, Medina-Bellver JI, González-López O (*), Marqués S. *Azoarcus anaerobius* 1,3-dihydroxybenzene (resorcinol) anaerobic degradation pathway is controlled by the coordinated activity of two sigma-54-dependent regulators. *Appl Environ Microbiol* 2017; 83 (9): e03042-16
- Sánchez-Castro I, Amador-García A (*), Moreno-Romero C, López-Fernández M, Phrommavanh V, Nos J, Descostes M, Merroun ML. Screening of bacterial strains isolated from uranium mill tailings porewaters for bioremediation purposes. *J Environ Radioact* 2017; 166 (Pt 1): 130-141

2016

- Martirani-Von Abercron SM, Pacheco D, Benito-Santano P (*), Marín P, Marqués S. Polycyclic aromatic hydrocarbon-induced changes in bacterial community structure under anoxic nitrate reducing conditions. *Front Microbiol* 2016; 7:1775
- Castellano-Hinojosa A (*), Correa-Galeote D, Palau J, Bedmar EJ. Isolation of N₂-fixing rhizobacteria from *Lolium perenne* and evaluating their plant growth promoting traits. *J Basic Microbiol* 2016; 56(1): 85-91

2015

- Fernández-Sanlés A, Berzal-Herranz B, González-Matamala R (*), Ríos-Marco P, Romero-López C, Berzal-Herranz A. RNA aptamers as molecular tools to study the functionality of the hepatitis C virus CRE region. *Molecules* 2015; 20: 16030-

16047

- Gutiérrez-Fernández J, Luna Del Castillo J de D, Mañanes-González S (*), Carrillo-Ávila JA, Gutiérrez B, Cervilla JA, Sorlózano-Puerto A. Different presence of *Chlamydia pneumoniae*, herpes simplex virus type 1, human herpes virus 6, and *Toxoplasma gondii* in schizophrenia: meta-analysis and analytical study. *Neuropsychiatr Dis Treat* 2015; 11: 843-852

2014

- Lopez-Fernández M, Fernández-Sanfrancisco O, Moreno-García A (*), Martín-Sánchez I, Sánchez-Castro I, Merroun ML. Microbial communities in bentonite formations and their interactions with uranium. *Appl Geochem* 2014; 49: 77-86
- Sorlózano A, Jiménez-Pacheco A (*), de Dios Luna Del Castillo J, Sampedro A, Martínez-Brocal A, Miranda-Casas C, Navarro-Marí JM, Gutiérrez-Fernández J. Evolution of the resistance to antibiotics of bacteria involved in urinary tract infections: a 7-year surveillance study. *Am J Infect Control* 2014; 42(10): 1033-1038

2013

- Reina R (*), Liers C, Ocampo JA, García-Romera I, Aranda E. Solid state fermentation of olive mill residues by wood- and dung-dwelling Agaricomycetes: Effect on peroxidase production, biomass development and phenol phytotoxicity. *Chemosphere* 2013; 93(7): 1406-1412
- Sorlózano A, Cedeño S (*), Gutiérrez-Fernández J, Polo P, Navarro JM. Relevance of the detection of *Streptococcus pneumoniae* antigen in human urine in the diagnosis of lower respiratory tract infections. *Rev Esp Quimioter* 2013; 26(1): 39-42
- Torres M (*), Romero M, Prado S, Dubert J, Tahrioui A, Otero A, Llamas I. N-acylhomoserine lactone-degrading bacteria isolated from hatchery bivalve larval cultures. *Microbiol Res* 2013; 168(9): 547-54